



ULTIMATE Performance

Is it time to up your game in your food offerings?

BKI PRESSURE FYERS - if you've never tried them, you and your customers are in for a treat!

The results from pressure frying are delicious! As pressure builds up in the vat, moisture in the protein is trapped, leaving you with perfectly tender and moist meat while retaining a crispy exterior. Food coming out of the pressure fryer has a longer holding "life" too, which is perfect for grocery deli grab-n-go displays.

Available in gas (FKG) or electric (FKM) models with multiple control options. See pages 4 & 5 for details and pricing.





TABLE OF CONTENTS

DEEP FRYERS	2
Series FKM	4
Series FKG	5
Series BLF	6
Series BLG	7
Fryer Options & Accessories	8
FOOD WARMERS	10
Series WS	12
Series UW	13
Series FW	14
Series SM	16
ROTISSERIES	18
Series VGG	20
Rotisserie Options & Accessories	21
RESOURCES	
How to Place an Order	24
Freight/Handling Rates	25
BKI Limited Warranty	26



DEEP FRYERS

PRESSURE & OPEN VAT - ELECTRIC & GAS - MANUAL & COMPUTERIZED CONTROLS - AUTO-LIFT

BKI® fryers are simple, safe, and economical. Our high-quality construction stands up to the heaviest use while our exceptional pricing provides the best value in the industry.

BKI offers a wide range of fryer types and sizes for every type of operation. Models are available in pressure and open styles with auto-lift, with or without filter systems, and manual, touchpad or touchscreen controls.



AUTOLIFT BASKET ensures that food is removed from the oil at the precise moment it is completely cooked. The auto-lift feature also keeps employees safely away from hot splattering oil. Standard on all BLF and BLG models.




SUPERIOR EFFICIENCY is realized by the placement of the heating elements and igniter box completely inside the vat with oil flowing freely around them. BKI fryers offer outstanding efficiency and faster recovery times than less efficient competitive fryers.



PATENTED QUICK-DISCONNECT FILTRATION SYSTEM keeps oil fresh and extends its usable life. This keeps your food tasting great every time. With the push of a button and the twist of a handle, filtering oil is easy and safe. A cold zone in the vat collects breading fall-off, keeping oil fresh and clean. The patented quick-disconnect allows for easy removal of the filtering vat. Standard on BLF, BLG, FKM & FKG models. AFS models feature automatic filtration.





CHOOSE your control



MANUAL CONTROL is easy to use plus the lower initial cost will get you cooking fast. Standard on all F models.



TOUCHPAD CONTROL provides programmable one touch cooking so you know your product is cooked perfectly everytime. Standard on all FC models.



TOUCHSCREEN CONTROL WITH TRAINING CENTRAL reduces time spent on employee training to save you money. In minutes, new employees will be managing virtually every operation simply by following intuitive, step-by-step onscreen instructions. Standard on all TC models.

ELECTRIC - X-LARGE VOLUME FRYER - PRESSURE - MANUAL, TOUCHPAD, TOUCHSCREEN CONTROLS

Series FKM

The amazing efficiency and fast recovery times of the FKM series electric fryers are realized by the placement of the heating elements completely inside the vat with oil flowing freely around them.

- Choose from manual or touchpad controls, or touchscreen controls with Training Central
- USB for uploading recipes FKM-TC model only
- · Heavy-duty, aluminum oil vat lid with rolled edges
- Electric operation
- Utilizes controlled low pressure
- Pressure-regulated lid interlock system
- 5" casters for easy mobility
- Stainless steel construction
- Built-in filtration
- Assembled in USA



TOUCHSCREEN CONTROLS WITH FILTER SYSTEM

	PRODUCT CAPACITY OIL CAPACITY			ACITY	DIMENSIONS (H X W X	D)	SHIP W	EIGHT	ELECTRICA	L	
MODEL	LB.	KG	LB.	KG	IN.	ММ	LB.	KG	VOLTS	KW	PRICE
FKM-TC	18	8.2	75	34	49.5 x 24.25 x 38 *	1257.3 x 616 x 965.1 *	405	184	208	17	\$49,649
* Height is	62.25" (1581	mm) with th	ne lid ope	n.					240	17	
See page 8	for options	or options & accessories							380	14.3	
									230/400	15.6	
								240/415	17	1	

TOUCHPAD CONTROLS WITH FILTER SYSTEM

	PRODUCT	CAPACITY	OIL CAF	PACITY	DIMENSIONS (H X W X D))	SHIP WE	IGHT	ELECTRICA	L	
MODEL	LB.	KG	LB.	KG	IN.	ММ	LB.	KG	VOLTS	KW	PRICE
FKM-FC	18	8.2	75	34	49.5 x 24.25 x 38 *	1257.3 x 616 x 965.1 *	405	184	208	17	\$48,180
* Height is	62.25" (1581	mm) with th	ne lid ope	en.			,		220	14.3	
See page 8	for options	& accessorie	es						240	17	
									220/380	14.3	
									230/400	15.6	
									240/415	17	
									240/4	17	

MANUAL CONTROLS WITH FILTER SYSTEM

	PRODUCT	CAPACITY	OIL CAPA	CITY	DIMENSIONS (H X W)	(D)	SHIP V	VEIGHT	ELECTRICA	L	
MODEL	LB.	KG	LB.	KG	IN.	MM	LB.	KG	VOLTS	KW	PRICE
FKM-F	18	8.2	75	34	49.5 x 24.25 x 38 *	1257.3 x 616 x 965.1 *	405	184	208	17	\$41,993
* Height is	62.25" (158:	l mm) with t	he lid oper	า.					220	14.3	
See page 8	3 for options	& accessori	es						240	17	
									220/380	14.3	
									230/400	15.6	
									240/415	17	





240/4

240/480

17

GAS – X-LARGE VOLUME FRYER – PRESSURE – TOUCHPAD OR TOUCHSCREEN CONTROLS

Series FKG

The workhorse of pressure fryers, this extra-large gas-operated pressure fryer is designed for simple operation, long life, and high volume. The results from pressure frying are delicious! As pressure builds up in the vat, moisture in the protein is trapped, leaving you with perfectly tender and moist meat while retaining a crispy exterior. Food coming out of the pressure fryer has a longer holding "life" too, which is perfect for grocery deli grab-n-go displays.

- Choose touchpad controls or touchscreen controls with Training Central
- USB for uploading recipes
- Heavy-duty aluminum oil vat lid with rolled edges
- Gas operation
- Up to 70,000 BTUH
- Utilizes controlled low pressure
- Pressure-regulated lid interlock system
- 5" casters for easy mobility
- Stainless steel construction
- Built-in filtration
- Assembled in USA



TOUCHSCREEN CONTROLS WITH FILTER SYSTEM

		PRODUCT OIL CAPACITY CAPACITY		CITY	DIMENSIONS (H X W	X D)	SHIP WE	IGHT	GAS	ELECTRI	CAL		
MODEL	LB.	KG	LB.	KG	IN.	мм	LB.	KG	BTU/HR	VOLTS	AMPS	KW	PRICE
FKG-TC	18	8.2	75	34	51.75 x 24.31 x 41.31	1312.3 x 616.8 x 1048	445	202	66,000 NG	120	5.6	.6	\$53,939
See page 8	for opt	ions an	d acce	ssories				70,000 LP					

TOUCHPAD CONTROLS WITH FILTER SYSTEM

	PROD CAPA		OIL CAPA	CITY	DIMENSIONS (H X W X D))	SHIP WEIG	нт	GAS	ELECTRI	ICAL		
MODEL	LB.	KG	LB.	KG	IN.	ММ	LB.	KG	BTU/HR	VOLTS	AMPS	KW	PRICE
FKG-FC	18	8.2	75	34	51.75 x 24.31 x 41.31	1312.3 x 616.8 x 1048	445	202	66,000 NG	120	5.6	.6	\$52,487
See page 8	for opt	ions &	accessories					70,000 LP					





Dimensions nominal | Shipping Class: #85 | Products shown are subject to change without notification | FOB Essex Junction, VT

phone: 802-658-6600 • fax: 802-864-0183 • www.bkideas.com

ELECTRIC - X-LARGE VOLUME FRYER - AUTO-LIFT - MANUAL, TOUCHPAD, TOUCHSCREEN CONTROLS

Series BLF

Want an easy way to create consistently delicious food every single time? Then you actually want a BKI® BLF fryer. These extra-large electric auto-lift fryers are designed for long life, high product volume and simple operation.

- Choose basic touchpad controls or touchscreen controls with Training Central
- USB for uploading recipes
- Optional heavy-duty, aluminum oil vat lid with rolled edges
- Electric operation
- 75 lb (34 kg) oil capacity
- Auto-lift basket for precise cooking
- 5" casters for easy mobility
- Stainless steel construction
- Built-in filtration
- Assembled in USA



TOUCHSCREEN CONTROLS WITH FILTER SYSTEM

	PRODU CAPAC		OIL CAPAG	ACITY DIMENSIONS (H X W X D)			SHIP WE	IGHT	ELECTRICAL		
MODEL	LB.	KG	LB.	KG	IN.	мм	LB.	KG	VOLTS	KW	PRICE
BLF-TC	18	8.2	75	34	40.19 x 24.25 x 39.5 *	1020.8 x 615.9 x 1003.3 *	335	152	208	17	\$43,494
* Height is	50.5" (1	283 mm	ı) with a	auto-lift	at full height.			220	14.3		

See page 8 for options & accessories

208	1/
220	14.3
240	17
220/380	14.3
230/400	15.6
240/415	17

TOUCHPAD CONTROLS WITH FILTER SYSTEM

	PRODU CAPAC		OIL CAPAC	ITY	DIMENSIONS (H X W X D)		SHIP WEI	GHT	ELECTRICAL		
MODEL	LB.	KG	LB.	KG	IN.	мм	LB.	KG	VOLTS	KW	PRICE
BLF-FC	18	8.2	75	34	40.19 x 24.25 x 39.5 *	1020.8 x 615.9 x 1003.3 *	335	152	208	17	\$42,042
* Height is	50.5" (12	283 mm)) with a	uto-lift a	at full height.	ull height.			220	14.3	
See page 8	for opti	ions & ac	ccessori	ies					240	17	

MANUAL CONTROLS WITH FILTER SYSTEM

	PRODU CAPAC		OIL CA	PACITY	DIMENSIONS (H X W X D)		SHIP WE	IGHT	ELECTRICAL	_	
MODEL	DDEL LB. KG LB. KG IN. MM							KG	VOLTS	KW	PRICE
BLF-F	18	8.2	75	34	40.19 x 24.25 x 39.5 *	1020.8 x 615.9 x 1003.3 *	335	152	208	17	\$37,587
* Height is	* Height is 50.5" (1283 mm) with auto-lift at full height.								220	14.3	
See page 8 for options & accessories							240	17			



240

GAS - X-LARGE VOLUME FRYER - AUTO-LIFT - TOUCHPAD OR TOUCHSCREEN CONTROLS

Series BLG

This extra-large, gas auto-lift fryer is designed for simple operation, long life, and high product volume. Open-vat fryers are perfect for producing extracrispy exteriors and tender interiors on a variety of fried foods.

- Choose touchpad controls or touchscreen controls with Training Central
- USB for uploading recipes (FKG-TC model only)
- Optional heavy-duty, aluminum oil vat lid with rolled edges
- Gas operation
- 75 lb (34 kg) oil capacity
- Auto-lift basket for precise cooking
- 5" casters for easy mobility
- Stainless steel construction
- Built-in filtration
- Standard with basket, brush set and 5 filters
- Assembled in USA



TOUCHSCREEN CONTROLS WITH FILTER SYSTEM

	PROE CAPA		OIL CAPA	CITY	DIMENSIONS (H X W)	(D)	SHIP WEIGHT GAS ELECTRICAL						
MODEL	LB.	KG	LB.	3. KG IN. MM			LB.	KG	BTU/HR	VOLTS	AMPS	KW	PRICE
BLG-TC	18	8.2	75	34	51.6 x 24.3 x 41.3 *	1311.4 x 616.8 x 1048 *	405	184	66,000 NG	120	5.6	.6	\$47,190
*Height is	52.25"	(1581 r	nm) wit	th auto	-lift at full height.				70,000 LP				

TOUCHPAD CONTROLS WITH FILTER SYSTEM

	CAPA		CAPAC	CITY	DIMENSIONS (H X W	X D)	SHIP WE	IGHT	GAS	ELECTRIC	CAL		
MODEL	LB.	KG	LB.	KG	IN.	мм	LB.	KG	BTU/HR	VOLTS	AMPS	KW	PRICE
BLG-FC	18	8.2	75	34	51.6 x 24.3 x 41.3 *	1311.4 x 616.8 x 1048 *	405	184	66,000 NG	120	5.6	.6	\$45,738

^{*}Height is 62.25" (1581 mm) with auto-lift at full height.

See page 8 for options & accessories

70,000 LP







Dimensions nominal | Shipping Class: #85 | Products shown are subject to change without notification |

FOB Essex Junction, VT

See page 8 for options & accessories

Fryer Options & Accessories

BOIL OUT VAT

	ITEM	BLF	BLG	FKM	FKG	PRICE
Boil-Out Vat	192001A	•	•	•	•	\$1,830
8' Boil-Out Vat Drain Hose	H0145-08	•	•	•	•	\$83

FILTER ACCESSORIES

Filter Vat Dolly	SB7650	•	•	•	•	\$765
Filter Paper (100 each per case)	FI0007	•	•	•	•	\$255
Filter Rinse Hose Assembly	SB2332	•	•	•	•	\$1,290

All fryers ship with 5 filters.

BRUSHES

Brush, Pot Scrubber, High Temp., White	B1102	•	•	•	•	\$705
Brush, Pot Scrubber, White. For use during boil out only	B0049	•	•	•	•	\$83
Brush, Black, Long	B0051			•	•	\$30
Brush, Black, Short	B0052			•	•	\$30
Brush, L-Tipped	B0063	•		•		\$53
Brush, White Drain	B0075	•	•	•	•	\$53

All fryers ship with one set of brushes.

BASKETS, LIDS & FRYING ACCESSORIES

Bail Handle Basket (16 lbs)	B0114			•	•	\$915
Bail Handle Basket (16 lbs)	B0112	•	•			\$1,080
BLF Lid Cover Assembly	AN16007300	•	•			\$645
Grande Basket (24 lbs)	B0121	•	•			\$1,035
Grande Basket (24 lbs)	B0128			•	•	\$960
Pot Stir Stick	P0149	•	•	•	•	\$135
Insulated Mitt, Neoprene, 18", pair	G0089	•	•	•	•	\$218

FRYER LIFTS

Kit, EZ-Lift System for 2 Fryers (Does Not Include Fryer)*	AN3101090S	•	•	\$24,743
Kit, EZ-Lift System for 1 Fryer w/Lift Mounted on Right (Does Not Include Fryer)*	AN3101130S	•	•	\$15,413
Kit, EZ-Lift System for (1) Fryer w/Lift Mounted on Left (Does Not Include Fryer)*	AN3101140S	•	•	\$15,413

^{*}Call factory for pricing of EZ-Lift installed at factory

GAS FRYER ACCESSORIES

Restraining Device	FT0279	•	•	\$150
3/4" NPT, 38" Gas Hose Assembly	2092643	•	•	\$1,680
Cord Set, 120V	CS005	•	•	\$248

ELECTRIC FRYER ACCESSORIES

Cord Set, 208/240V	BK1366	•		•		\$578
--------------------	--------	---	--	---	--	-------

Shipping Class: #125 | Products shown are subject to change without notification | FOB Essex Junction, VT

Fryer Options & Accessories



BREADING TABLE

The BT-24M breading table is compact and portable. Our breading system is designed to produce a consistent product while reducing breading costs. A spring-loaded hinged marinade basket makes delivering raw product into the breading lug easy. A hand sifter separates dough balls, promoting consistency in the sifted breading.

- Fully assembled stainless steel construction
- 4 locking casters
- Sifter drawer with lower receiving pan
- Lug shelf for raw chicken
- Optional spring-loaded hinged marinade basket
- · Hinged shelf that can be mounted left or right

BREADING TABLE

DIMENSIONS (H X W X D)			SHIP WE	IGHT	
MODEL	IN.	мм	LB.	KG	PRICE
BT-24M	58.38 x 24.13 x 33.25	1486 x 618 x 847	190	86	\$11,385

Shipping Class: #175 | Products shown are subject to change without notification | FOB Essex Junction, VT



The LTS landing table is designed to easily transport product from your fryer.

- Large (21" W x 27" L x 3" D) landing area
- Fully assembled stainless steel construction
- Platform tray holds multiple product batches
- Six tray slides hold standard 18" x 26" sheet pans for additional product holding
- Detachable landing platform tray and tray slides for easy cleaning
- Four 3" swivel casters, two locking, for high mobility in tight spaces

LANDING TABLE DUMP STATION

	X D)	SHIP WEI	GHT		
MODEL	IN.	ММ	LB.	KG	PRICE
LTS	36.3 x 23.5 x 27	922 x 597 x 686	125	57	\$5,412

Shipping Class: #85 | Products shown are subject to change without notification | FOB Essex Junction, VT



OIL CADDY

BKI's extra-large capacity portable waste oil pick-up and disposal caddy tanks are constructed of tough stainless steel.

- 75 or 150 lb oil capacity
- Stainless steel construction
- Bi-directional vane pump
- Portable removable tank cover and 8-inch wheels

OIL CADDY

	OIL CAPACITY DIMEN		OIL CAPACITY DIMENSIONS (H X W X D)			SHIP WEIG	НТ		
MODEL	LB.	KG	IN.	мм	LB.	KG	PRICE		
OC-90	150	68	48 x 21.06 x 18	1219 x 535 x 457	110	50	\$4,686		

Shipping Class: #100 | Products shown are subject to change without notification | FOB Essex Junction, VT



FOOD WARMERS

COUNTERTOP - SINGLE OR DOUBLE SHELVES - AVAILABLE IN MULTIPLE WIDTHS



Your customers want delicious grab and go foods—and they want them now! Luckily, BKI® has an answer for you

BKI offers a large range of food warmers for retail, convenience stores, food service, quick service, and institutions.

Our warming shelves are designed to hold food at safe temperatures with infinite controls and rapid preheat temperatures up to 212°F.

BKI warmers are manufactured of stainless steel for ease of cleaning and available in five lengths from 24 up to 72 inches.





CRISPY fried foods

SM SERIES COUNTERTOP FOOD WARMERS

PASS-THROUGH DESIGN allows for the kitchen to load fresh food easily from the back while customers pull from the front of the warmer.

MULTIPLE SIZES SM series food warmers come in a range of widths from 24 to 75 inches to meet your particular needs

INDIVIDUAL THERMOSTATIC CONTROLS for top and bottom heat allow you to dial in the perfect holding temperatures for sandwiches and other impulse-buy hot food items.



SLANTED SHELVES allow new items keep moving to the front of the unit.



HORIZONTAL SHELVES allow you to serve foods that are best kept flat.

HOT & FRESH food to go

COUNTERTOP OR FREESTANDING MOBILE BASE FRIED FOOD WARMERS

Series WS

The BKI® WS Series mobile fried food warmers were developed for quick-serve retailers and convenience stores. This warmer uses radiant heat to extend the freshness of a variety of fried foods, so you can keep nuggets, fingers, fries, and wedges crispy and delicious for longer.

Each unit can hold a full-size $12^{\prime\prime}$ x $20^{\prime\prime}$ steam table pan with 10 pounds of holding capacity. This model also features a rotating top that allows you to swivel the top heat 90° for easier dumping and to minimize the chance of burn. Flat surfaces and easily removable parts make cleaning a breeze.

- 10 lb holding capacity
- · Removable parts and flat surfaces for easy cleaning
- Bin accepts a 12" x 20" steam table pan
- In-counter or full cabinet with 6" casters
- Built in the USA



WS-13 COUNTERTOP FRIED FOOD WARMER

DIMENSIONS (H X W X D)			SHIP W	EIGHT	ELECTRICAL		
MODEL	IN.	мм	LB.	KG	VOLTS	KW	PRICE
WS-13	21 x 14.25 x 24	533 x 362 x 610	50	23	120	1.0	\$1,964

WS-15 FREESTANDING MOBILE BASE FRIED FOOD WARMER MODELS

	SHIP W	EIGHT	ELECTRICAL				
MODEL	IN.	мм	LB.	KG	VOLTS	KW	PRICE
WS-15ST	22.25 x 15.36 x 26.75	565 x 391 x 680	138	63	120	1.1	\$4,125
WS-15STC	55.36 x 18 x 32.5	1407 x 457 x 826	145	66	120	1.1	\$5,462


WS-155T

WS-15ST model includes a rotating top for easy dumping. WS-15STC model Includes a full cabinet and 6" casters

ACCESSORIES & OPTIONS

MODEL	COUNTERTOP	BUILT-IN COUNTER	TABLETOP ADAPTOR
WS-13	available	N/A	N/A
WS-15ST	N/A	available	N/A
WS-15STC	N/A	N/A	N/A





WS-155TC





Shipping Class: #100 | Available in 15-amp or 20-amp service; specify when ordering | Products shown are subject to change without notification | FOB Essex Junction, VT

COUNTERTOP FRIED FOOD WARMER

Series UW

The BKI® countertop fried food warmer keeps fried foods hot and crispy on the outside and moist and delicious inside. The convected air heating technology doubles the holding time of fries, chicken tenders, appetizers, and more.

- Extends the holding time of fried food
- Safety cut-off feature
- Removable parts for easy cleaning
- 100% hand built in the U.S.A



UW-17 FRIED FOOD WARMER NO OVERHEAD HEAT

	DIMENSIONS (H X W X D)	SHIP W	EIGHT	ELECTRICAL			
MODEL	IN.	мм	LB.	KG	VOLTS	KW	PRICE
UW-17	8.3 x 20 x 27.5	211 x 510 x 699	95	43	120	1.0	\$5,561



Dimensions nominal | Shipping Class: #100 | *Available in 220V; specify when ordering | **Specify left- or right-hand access when ordering | Products shown are subject to change without notification | FOB Essex Junction, VT



COUNTERTOP FRIED FOOD WARMER

Series FW

The BKI FW-15 fried food warmers are designed to deliver consistent results for the quick serve market, including retail and convenience stores. These compact units combine convection and radiant heat technologies to extend freshness of a variety of fried foods including nuggets, fingers, fries, and wedges.

Cooling or intake air is supplied from the bottom, below the countertop surface, where the air is clean and will not clog motors and electronics. Installation of these units required cutting through the countertop for the chute as well as the fry dump.

- Doubles the holding time of fried food
- Safety cut-off feature prevents overheating
- Durable stainless steel parts are easy to remove for cleaning
- Removable parts for easy cleaning
- Lighted canopy for easy viewing and visually pleasing display
- Overhead radiant heat and convected air base heat
- 100% hand built in the U.S.A.



IN COUNTER FRIED FOOD WARMER WITH PASS-THROUGH

	SHIP W	EIGHT	ELECTRICAL				
MODEL	IN.	мм	LB.	KG	VOLTS	KW	PRICE
FW-15	21.13 x 18.63 x 35.38	536 x 473 x 899	70	32	120 or 208	1.84	\$7,821

ACCESSORIES & OPTIONS

MODEL	ITEM NUMBER	LIST PRICE
TABLETOP ADAPTER (for FW15)	WB31216000	\$720





Shipping Class: #100 | *Available in 220V; specify when ordering | **Specify left- or right-hand access when ordering | Products shown are subject to change without notification | FOB Essex Junction, VT



Ready to put your best foot forward—with your tastiest food served right where your customers want it? Then you're ready for the BKI® fried food warmers.

CRISPY fried foods

Just the way your customers like it!

There is nothing worse than offering fried food that is soggy or dried out. BKI® fried food warmers will keep your fried foods hot and crispy on the outside and moist and delicious inside.

Our high quality fried food warmers are 100% hand-built in the USA to ensure long life, durability and most importantly, customer loyalty.









COUNTERTOP FOOD WARMER - SINGLE & DOUBLE - HORIZONTAL & SLANTED SHELVES

Series SM

The BKI® SM series of countertop warmers feature a pass-through design, single or double, horizontal or slanted shelves, and ceramic infrared top heat combined with base bottom heat to keep food fresh and hot for extended times.

- Choose from 24" to 75" widths
- Top ceramic infrared heating element
- Horizontal or slanted shelves with stainless steel construction
- Single and double tier
- Pass-through for easy loading of product
- Illuminated chamber
- Individual thermostatic control for top and bottom heat
- Right or left controls for slant shelf models
- Made in USA




SM SINGLE HORIZONTAL SHELF PASS-THROUGH COUNTEROP WARMER MODELS

	CHUTE	CHUTE DIMENSIONS DIMENSION		ISIONS (H X W X D)			ELECTRIC		
MODEL	IN.	MM	IN.	ММ	LB.	KG	VOLTS	KW	PRICE
SM-39	35	889	17.5 x 39 x 25	445 x 991 x 635	180	82	120	1.5	\$9,059
								1.4	
							240	1.7	
SM-51	47	1194	17.5 x 51 x 25	445 x 1295 x 635	210	95	120	1.08	\$9,867
							208	2.0	
							240	2.04]

SM DOUBLE HORIZONTAL SHELF PASS-THROUGH COUNTEROP WARMER MODELS

	CHUTE DIM	ENSIONS	DIMENSIONS (H X W X D)		SHIP W	EIGHT	ELECTRICA	AL	
MODEL	IN.	ММ	IN.	мм	LB.	KG	VOLTS	KW	PRICE
2TSM-51	47	1194	29.75 x 51 x 25	756 x 1295 x 635	190	86	120	2.16	\$17,061
							208	4.0	
							240	4.08	



COUNTERTOP FOOD WARMER - SINGLE & DOUBLE - HORIZONTAL & SLANTED SHELVES

Series SM

SM SINGLE SLANTED SHELF PASS-THROUGH COUNTERTOP WARMER MODELS

		CHUTE DIMENSIONS		DIMENSIONS (H X	DIMENSIONS (H X W X D)		/EIGHT	ELECTRICAL		_	
MODEL	CONTROLS	IN.	ММ	IN.	ММ	LB.	KG	VOLTS	KW	PRICE	
SM-2624R	Right side	24	610	17.5 x 26 x 24	445 x 660 x 610	140	64	120	0.54	\$7,310	
SM-2624L	Left side	24	610	17.5 x 26 x 24	445 x 660 x 610	140	64	120	0.54	\$7,310	
SM-3824R	Right side	36	914	17.5 x 38 x 24	445 x 965 x 610	150	68	120	0.86	\$7,475	
SM-3824L	Left side	36	914	17.5 x 38 x 24	445 x 965 x 610	150	68	120	0.86	\$7,475	
SM-5024R	Right side	48	1219	17.5 x 50 x 24	445 x 1270 x 610	180	82	120	0.91	\$8,003	
								208	0.91		
SM-5024L	Left side	48	1219	17.5 x 50 x 24	445 x 1270 x 610	180	82	120	0.91	\$8,003	
								208	0.91		
SM-6224R	Right side	60	1524	17.5 x 62 x 24	445 x 1575 x 610	250	113	120	1.23	\$8,663	
								208	1.23		
SM-6224L	Left side	60	1524	17.5 x 62 x 24	445 x 1575 x 610	250	113	120	1.23	\$8,663	
								208	1.23		

SM DOUBLE SLANTED SHELF PASS-THROUGH COUNTERTOP WARMER MODELS

			DIMENSIONS	DIMENSIONS (H X	DIMENSIONS (H X W X D)			ELECTRICAL			
MODEL	CONTROLS	IN.	ММ	IN.	ММ	LB.	KG	VOLTS	KW	PRICE	
2TSM-2624R	Right side	24	610	29.75 x 26 x 24	756 x 660 x 610	180	82	120	1.09	\$12,705	
2TSM-2624L	Left side	24	610	29.75 x 26 x 24	756 x 660 x 610	180	82	120	1.09	\$12,705	
2TSM-3824R	Right side	36	914	29.75 x 38 x 24	756 x 965 x 610	190	86	120	1.09	\$12,969	
			'	'				208	1.09		
2TSM-3824L	Left side	36	914	29.75 x 38 x 24	756 x 965 x 610	190	86	120	1.09	\$12,969	
	'		'	'				208	1.09		
2TSM-5024R	Right side	48	1219	29.75 x 50 x 24	756 x 1270 x 610	250	113	102	1.83	\$13,959	
			'	'				208	1.83		
2TSM-5024L	Left side	48	1219	29.75 x 50 x 24	756 x 1270 x 610	250	113	102	1.83	\$13,959	
	'			-				208	1.83		
2TSM-6224R	Right side	60	1524	29.75 x 62 x 24	756 x 1575 x 610	320	145	120	2.46	\$14,966	
	'	'	'	1				208	2.46		
2TSM-6224L	Left side	60	1524	29.75 x 62 x 24	756 x 1575 x 610	320	145	120	2.46	\$14,966	
								208	2.46		

Shipping Class: #100 | 4" legs included | Available in 15 amp or 20 amp service; Specify when ordering | Products shown are subject to change without notification | FOB Essex Junction, VT

ROTISSERIES

ELECTRIC - TOUCHSCREEN CONTROLS - CURVED & FLAT DOORS - PASS-THROUGH & SOLID BACK



BKI® pioneered the commercial rotisserie and is still the reigning industry leader. BKI offers electric rotisseries that are easy to operate and safe to use.

Our rotisseries deliver perfect results every time. Superior design and innovative features include cool-door technology, fast cooking times, and quick recovery.

With smart features, high capacity and beautifully consistent results, you'll find the VGG series can revolutionize your business!



VGG-8F-PT shown with optional VGH-8 ventless hood

THE BRIGHT TOUCH SCREEN


Our touchscreen display makes operation a breeze with true onetouch cooking. Store up to 15 customizable menu programs that can be locked to protect important settings. Select English or Spanish with the new bilingual feature.

ADDITIONAL CONTROL BENEFITS

Easier to clean at the end of the day

by-products

Energy savings





ROTATING ROTORS allow drippings to fall on the product directly below creating a glorious self-basting process that is absolutely delicious. Though chicken is one of the most widely used products in a rotisserie, we enjoy cooking roasts, duck, lamb and many other mouth-watering options.

INNOVATIVE SAFETY FEATURES include cool-door technology and sensors that stop rotation when the door is opened.

CONFIGURE YOUR ROTISSERIE

PASS-THROUGH MODELS allow the back of the kitchen to load raw product and the front kitchen to pull cooked product, reducing the risk of contamination.



SOLID BACK MODELS do not require clearance for doors on both front and back of the oven making it a better choice for tighter spaces.

CURVE DOOR MODELS are designed to attract customers with features including a convex glass picture window for high visibility and lighted interiors for a theater effect.



FLAT DOOR MODELS may not have the drama of their curved siblings, but they will be a workhorse for you behind the scenes. And they also feature LED lighting and a bright stainless interior.





HIGH-CAPACITY ROTISSERIES – SOLID BACK OR PASS-THROUGH – CURVED OR FLAT GLASS DOORS

Series VGG

Whether poultry, pork, beef, vegetables, or your own specialty, the VGG rotisserie is sure to maximize customer satisfaction and produce uniform, consistent results every time.

- Touchscreen controls with 15 program modes with preheat and hold capability
- Lighted cavity to attract customer attention
- Easy-to-clean interior
- Electric operation
- Solid back or pass-through design
- Curved or flat glass doors
- V-Spit
- Cool door for safety
- LED Lights and bright stainless interior
- Made in USA



FLAT GLASS MODELS WITH SOLID BACK

	PRODUCT CAPACITY***			DIMENSIONS (H X W X D)			НT	ELECTRICAL		
MODEL	MEAT FORKS	V-SPITS	BASKETS	IN.	ММ	LB.	KG	VOLTS	KW	PRICE
VGG-8-F	40	32	8	45.5 x 41 x 35.25	1156 x 1041 x 895	540	245	208-220-240	11.1-10.3-12	\$36,779
VGG-16-F	80	64	16	79.05 x 41 x 35.25	2008 x 1041 x 895	960	435	208-220-240	11.1-10.3-12	\$66,528

FLAT GLASS MODELS WITH PASS-THROUGH

	PRODUCT CAP	ACITY***		DIMENSIONS (H X W X D)			нт	ELECTRICAL		
MODEL	MEAT FORKS	V-SPITS	BASKETS	IN.	мм	LB.	KG	VOLTS	KW	PRICE
VGG-8-F-PT	40	32	8	45 X 41.38 X 39.38	1156 X 1051 X 1000	540	245	208-220-240	11.1-10.3-12	\$39,699
VGG-16-F-PT	80	64	16	79.06 X 41.38 X 39.38	2008 X 1051 X 1000	960	435	208-220-240	11.1-10.3-12	\$73,590

CURVED GLASS MODELS WITH SOLID BACK

	PRODUCT CAPACITY***					SHIP WEIGHT ELECTRICAL				
MODEL	MEAT FORKS	V-SPITS	BASKETS	IN.	мм	LB.	KG	VOLTS	KW	PRICE
VGG-8-C	40	32	8	45 x 41.38 x 39.38	1156 x 1051 x 1000	540	245	208-220-240	11.1-10.3-12	\$39,089
VGG-16-C	80	64	16	79.06 x 41.38 x 39.38	2008 x 1051 x 1000	960	435	208-220-240	11.1-10.3-12	\$74,762

CURVED GLASS MODELS WITH PASS-THROUGH

	DIMENSIONS (H X W X D) SHIP WEIGHT			ELECTRICAL						
MODEL	MEAT FORKS	V-SPITS	BASKETS	IN.	ММ	LB.	KG	VOLTS	KW	PRICE
VGG-8-C-PT	40	32	8	45 x 41.38 x 39.38	1156 x 1051 x 1000	540	245	208-220-240	11.1-10.3-12	\$41,036
VGG-16-C-PT	80	64	16	79.06 x 41 x 39.38	2008 x 1041 x 1000	960	435	208-220-240	11.1-10.3-12	\$78,705





Shipping Class: #92.5 | *Height includes legs | **Per oven—VGG-16 is double stacked—Each rotisserie requires a separate electrical connection | ***Based on 3-lb. chickens | *For use with any VGG-8 or VGG-16 model | Products shown are subject to change without notification | FOB Essex Junction, VT

Rotisserie Options & Accessories

STANDS & CARTS

	ITEM	PRICE
Stand With Casters	551600A	\$4,005
Stand with Adjustable Legs	551608A	\$4,215
VGG Spit Cart	551700A	\$6,039

COOKING ACCESSORIES

Neoprene Insulated Gloves	G0089	\$218
Meat Fork-VGG-8/16	MF0032	\$360
Meat Basket w/4 Goosers VGG-8/16	MB0037	\$330
Meat Basket Flat-VGG-8/16	MB0038	\$360
V-Spit-VGG-8/16	MF0038	\$420

MISCELLANEOUS

VENTLESS HOOD

Adding a ventless hood to one of our rotisseries helps clear the air of airborne grease particles.

- Patented two-stage filtration
- Signal light alerts operator to change filter
- Appliance receptacle
- Stainless steel exterior
- Fire extinguishing system
- Two-stage filtration keeps grease-laden particles from returning to the air
- Signal light alerts operator to replace dirty filters, check filter placement, and latch doors
- Safety shut-off if hood door/filter is ajar or hood power is cut off



VGH VENTLESS HOOD FOR VGG SERIES ROTISSERIES

		DIMENSIONS (H X W X D)		SHIP WEIGHT ELECTRICA		-			
MODEL	CFM	IN.	мм	LB.	KG	VOLTS	KW	NOTES	PRICE
VGH-8	730	16.75 X 40.63 X 40.38	425 X 1032 X 1026	228	103	208-240	.75	VGG-8/16 ONLY	\$19,305





REVOLVING Revolution

Ideal for extremely high-volume supermarkets and restaurants, the BKI® VGG series of rotisseries have a massive cooking capacity that will meet growing customer demand and improve profitability.

These rotisseries can cook up to up to 80 3-lb (1.36 kg) chickens in 75 minutes. The results are so delicious—moist and tender inside and perfectly golden brown outside—that you'll find you need every bit of this high capacity so your customers don't have to go home empty handed!





Mouth Watering RESULIS

Though chicken is one of the most widely used products in a rotisserie, we enjoy cooking roasts, duck, lamb and many other mouth-watering options.

The rotating rotors allow drippings to fall on the product directly below creating a glorious self-basting process that is absolutely delicious.





How to Place an Order



AUTOQUOTES™ PARTICIPANTS

In addition to brochures and FCSI/NAFEM formatted specification sheets, BKI participates in AutoQuotes quotation system and database.

For more information on this service, please contact AutoQuotes at 8800 W Baymeadows Way #500 Jacksonville, FL 32256;

(904)384-2279

HOW TO PLACE AN ORDER

Resale Certificate Number: required from all Dealers.

All orders are subject to acceptance by the local representative and our office.

All orders must have the Dealer's name, address, phone number, purchase order number and purchase order dollar amount.

All orders must include a requested ship date, ship to address, job name, location and freight terms (i.e. 3rd party or prepaid & add to invoice).

All orders must include model number, voltage requirement, type of gas, altitude if installation is 2000 feet and over

Legs, Stands and Casters are optional accessories for Counter/Stand models.

Specify any accessories you want to include with your order.

International Orders: In an ever expanding international marketplace, it is necessary for a domestic dealer, in limited situations, to become involved in an export opportunity that will result in a contractual sale. In this instance BKI must respond to its domestic dealer and, while recognizing the importance of our international distributor, ultimately ensure proper service to the customer after the sale.

Any orders shipping outside the continental US will be subject to an 8% EIAF (Export Infringement Administration Fee), and could be subject to other charges including special electrical or gas configuration charges and CE approval fees. Dealers in Canada will pay an 8% EIAF when shipping outside of their originating country.

International Warranty: The standard warranty for all equipment shipped outside of the U.S. or Canada is 1 year on parts only from the date of installation.

U.S. & Canada Warranty: The standard warranty for all equipment shipped within the U.S. and Canada is parts and labor from the date of

installation. See product descriptions for length of warranty. See BKI Limited Warranty on 26.

TERMS & CONDITIONS

Prices are U.S. dollars F.O.B. from origin and do not include charges for freight or installation.

Standard Payment terms: NET 30 Days. If not paid within terms the following additional charges apply:

- 1.0% if 30 days past due
- 5.0% if more than 90 days past due

Freight classification: Class 77.5, unless otherwise indicated.

A \$100 per day storage fee will be charged for orders not shipped from the BKI manufacturing facility on assigned ship date.

RETURN POLICY

Returns & Cancellations: BKI products cannot be returned without prior written factory authorization. The restocking charge is 45% for nonstandard equipment, 35% for standard equipment, plus any costs to econdition the equipment. No returns accepted after 30 days from date of invoice. Returns for credit must be freight prepaid. Orders cancelled or changed after production has started are subject to a charge of 35%.

Returned Goods Authorization (RGA) must accompany all returns. All returns must be shipped prepaid within 30 days of authorization and must be in proper crating. Repair of any shipping damages will be deducted from credit due.

BKI reserves the right to refuse the return of non-standard products.

PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

The Company reserves the right to make substitutions of components without prior notice.

ERRORS: Descriptive, typographic or photographic are subject to correction.

Freight/Handling Rates

Freight will be calculated as a percentage of the PO total. This program applies to customers located in the continental United States and Canada only. All other countries, call for quote.

PO Total	Freight %			
\$1 - \$20,000	5%			
\$20,001 and above	3%			

- **Minimum freight charge = \$300
- **PO must ship complete to one location

EXAMPLE: PO total = \$12,360 \$12,360 x .05 (5%) = \$618

FREIGHT CLASSIFICATION

CLASS 92.5, unless otherwise shown on model pricing page in this book.

If BKI is responsible for freight (free freight), partial shipments are prohibited.

EXTRA CHARGES

(ADD TO STANDARD DELIVERY CHARGES)

- Inside Delivery = \$180 per oven
- Lift Gate Delivery = \$180
- Construction Site Delivery = \$145
- Residential Delivery/Limited Access = \$145
- Redelivery fee = \$95
- Customs Clearance Fee = \$100
- All other requests, call for pricing.

FREIGHT DAMAGE:

Notify freight carrier within 24 hours of receipt for concealed freight damage.

Regardless of who is paying for the freight, title passes to the consignee when the merchandise leaves our dock and thereafter travels at the risk of the purchaser. If freight damage is noticed or suspected, freight should be refused. DO NOT accept. In cases of concealed damage, save all packaging, immediately notify carrier of your findings and intention to file claim. All orders for replacement parts or units due to freight damage will be invoiced under our regular terms. Any reimbursements or credit must come from the freight company.



BKI Limited Warranty

This warranty covers defects in material and workmanship under normal use and applies only to **WHAT IS** the original purchaser, providing that: **COVERED** The equipment has not been accidentally or intentionally damaged, altered, or misused; The equipment is properly installed, adjusted, operated, and maintained in accordance with national and local codes, and in accordance with the installation and operating instructions provided with this product. The serial number rating plate affixed to the equipment has not been defaced or removed. **WHO IS** This warranty is extended to the original purchaser and applies only to equipment purchased for **COVERED COVERAGE** Warranty claims must be received in writing by BKI within one (1) year from date of installation or within one (1) year and three (3) months from date of shipment from the factory, whichever comes **PERIOD** Warranty period begins the date of dealer invoice to customer or 90 days after shipment date from BKI, whichever comes first. This warranty covers on-site labor, parts and reasonable travel time and travel expenses of the WARRANTY authorized service representative up to 100 miles round trip and two (2) hours' travel time and **COVERAGE** performed during regular, weekday business hours. **EXCEPTIONS** Any exceptions must be preapproved in advance in writing by BKI. The extended door warranty on convection ovens years three (3) through five (5) is a parts-only warranty and does not include labor, travel, mileage, or any other charges. **EXCLUSIONS** Negligence or acts of God Thermostat calibrations after 30 days from equipment installation date Air and gas adjustments Light bulbs Gaskets, o-rings and seals Glass and door adjustments Glass **Fuses** Adjustments to burner flames and cleaning of pilot burners; tightening of screws or fasteners Failures caused by erratic voltages or gas suppliers Unauthorized repair by anyone other than a BKI Factory Authorized Service Center Damage in shipment Alteration, misuse, or improper installation Thermostats and safety valves with broken capillary tubes Freight costs other than normal UPS charges Ordinary wear and tear Failure to follow installation and/or operating instructions **INSTALLATION** Leveling, as well as proper installation and check out of all new equipment - per appropriate installation and use materials - is the responsibility of the dealer or installer, not the manufacturer. **REPLACEMENT** BKI genuine Factory OEM parts receive a 90-day materials warranty effective from the date of

This warranty is in lieu of all other warranties, expressed or implied, and all other obligations or liabilities on the manufacturer's part. BKI shall in no event be liable for any special, indirect, or consequential damages, nor in any event be liable for damages in excess of the purchase price of the unit. The repair or replacement of proven defective parts shall constitute a fulfillment of all obligations under the terms of this warranty.

installation by a BKI Factory Authorized Service Center.

PARTS

COMPLETE Fry Station

The EZ LIFT
helps you easily
load and unload
the fryer basket
while reducing
oil spillage and
potential falls
from lifting/
dumping baskets
on a greasy floor.

BKI MADOS FIELD

The BT-24M breading table is compact and portable for breading and preparing product for frying.

The FKM-TC extralarge, electric pressure-fryer is designed for simple operation, long life, and high product volume.

With the LTS landing table, you can easily transport product from fryers to hot display cases.









EVERTHING you need



Creating great food while increasing your profit!

